

2016 Entergy Corporate GHG Emissions breakdown by category

All numbers represent CO2 equivalents (CO2e)

Unhide columns I - U for additional calculations and conversions -->

Operational Emissions Category	Emissions Source Category	Corporate emissions source	Greenhouse gas	Total emissions short tons CO2e	Total emissions in metric tons CO2e	percentage of total corporate emissions	Calculation worksheet in inventory document	
Direct Emission Sources	Stationary Combustion	Power generating units (includes emergency and backup generators)	CO2	38,297,097	34,742,542	87.1%	Stationary Combustion CEM	
			CH4	15,702	14,245	0.0%	Stationary Combustion CEM	
			N2O	73,141	66,353	0.2%	Stationary Combustion CEM	
		Small stationary combustion sources (co-located at generation stations and stand alone units)	CO2, CH4, N2O	144,409	131,006	0.3%	All small stat cbn totals	
		Biomass power generation	CO2	0	0	0.0%	NA	
	Mobile Combustion	Corporate fleet	CO2	54,523	49,463	0.1%	Mobile Combustion	
			CH4	80	73	0.0%	Mobile Combustion	
			N2O	427	387	0.0%	Mobile Combustion	
		Biomass fleet	CO2	0	0	0.0%	NA	
	Fugitive Emissions	Natural gas transmission and distribution	CH4	82,683	75,009	0.2%	Fugitive CH4-NG T&D	
		Electricity transmission and distribution	SF6	115,140	104,453	0.3%	Fugitive SF6	
		Cooling/air-conditioning (building, mobile and nuclear cooling eqpt)	HFCs	6,266	5,684	0.0%	Fugitive HFCs	
	Process emissions	none applicable	NA	0	0	0.0%	NA	
	Total Emissions from Direct Sources				38,789,469	35,189,215	88.3%	
	Indirect Emission Sources	Purchased Electricity	Power purchased for business operations outside Entergy service territory	CO2	40,295	36,555	0.1%	Purchased power
		T&D losses	Entergy purchased power consumed on Entergy T&D system	CO2, CH4, N2O	171,354	155,450	Note: these emissions are included within the Optional emissions	Purchased power
Total Emissions from Indirect Sources				211,649	192,005			
Optional Emissions Sources	Purchased power (controllable)	Controllable purchased power sold to customers	CO2, CH4, N2O	4,161,612	3,775,351	9.5%	Purchased power	
	Purchased power (uncontrollable)	Uncontrollable purchased power sold to customers	CO2, CH4, N2O	<i>Not Applicable beginning in 2014 - See *** Note at the bottom of the Purchased power tab</i>				
	Product combustion	Combustion of natural gas distributed to customers (Scope 3 for Entergy, Scope 1 for customers)	CO2, CH4, N2O	907,116	822,922	2.1%	Natural Gas Combustion	
	Employee Commuting	Estimation of emissions resulting from employee commutes	CO2, CH4, N2O	51,557	46,772	0.1%	Employee Commuting	
Total Emissions from Optional Sources				5,120,285	4,645,044	11.7%		
GHG Stabilization Commitment Total (progress toward third GHG commitment)				42,603,119	38,648,899	96.9%		
Total Corporate emissions				43,950,049	39,870,814	100.0%		

Direct Emissions from fossil fuel usage at generating facilities using CEM data

2016

Generating facility and EPA Acid Rain Unit ID	EPA Acid Rain Unit ID (Enter ID if different)	Max capacity (MW)	State	Entergy equity share of unit	Primary fuel(s)	CO2 from CEM		CH4	N2O	Total Facility CO2e in short tons	Total CO2e in metric tons
						Total unit CO2 (1)	Entergy equity share of unit CO2 emissions	Entergy share CH4 emissions from generation (2)	Entergy share N2O emissions from generation (3)		
						short tons CO2		short tons CO2e	short tons CO2e		
Acadia	CT3	580	LA	100%	Natural Gas	760,794.50	760,794.50	357.57	426.04		
Acadia	CT4		LA	100%	Natural Gas	760,794.50	760,794.50	357.57	426.04		
Totals							1,521,589.00	715.15	852.09	1,523,156	1,381,784
Attala	A01	480	MS	100%	Gas/Oil	628,937.00	628,937.00	295.60	352.20		
Attala	A02		MS	100%	Gas/Oil	628,937.00	628,937.00	295.60	352.20		
Totals		480					1,257,874.00	591.20	704.41	1,259,170	1,142,299
Baxter Wilson	1	550	MS	100%	Gas/Oil	35,862.00	35,862.00	16.86	20.08		
Baxter Wilson	2	771	MS	100%	Gas/Oil	392,845.00	392,845.00	184.64	219.99		
Totals		1321					428,707.00	201.49	240.08	429,149	389,317
Big Cajun 2 ⁽⁵⁾	2B3 (3)	257	LA	42%	Coal	3,453,859.50	1,450,620.99	391.67	7,340.14		
Totals		257					1,450,620.99	391.67	7,340.14	1,458,353	1,322,995
Calcasieu Plant	GTG1	322	LA	100%	Natural gas	190,518.00	190,518.00	89.54	106.69		
Calcasieu Plant	GTG2		LA	100%	Natural gas	84,306.00	84,306.00	39.62	47.21		
Totals		322					274,824.00	129.17	153.90	275,107	249,573
Gerald Andrus	1	761	MS	100%	Gas/Oil	439,693.00	439,693.00	206.66	246.23		
Totals		761					439,693.00	206.66	246.23	440,146	399,294
Hinds Energy Facility	H01	456	MS	100%	Gas CT	671,186.50	671,186.50	315.46	375.86		
Hinds Energy Facility	H02		MS	100%	Gas CT	671,186.50	671,186.50	315.46	375.86		
Totals							1,342,373.00	630.92	751.73	1,343,756	1,219,035
Hot Spring Energy Facility	CT-1	620	AR	100%	Gas CT	606,564.00	606,564.00	285.09	339.68		
Hot Spring Energy Facility	CT-2		AR	100%	Gas CT	606,564.00	606,564.00	285.09	339.68		
Totals							1,213,128.00	570.17	679.35	1,214,378	1,101,665
Independence	1	472	AR	56.5%	Coal	3,941,457.00	2,226,923.21	601.27	11,268.23		
Independence	2	332	AR	39.37%	Coal	4,293,586.00	1,690,384.81	456.40	8,553.35		
Totals		804					3,917,308.01	1,057.67	19,821.58	3,938,187	3,572,663
Lake Catherine	4	547	AR	100%	Gas/Oil	226,530.00	226,530.00	108.47	126.86		
Totals		547					226,530.00	108.47	126.86	226,763	205,716
Lewis Creek	1	260	TX	100%	Gas/Oil	621,705.00	621,705.00	292.20	348.15		
Lewis Creek	2	260	TX	100%	Gas/Oil	793,729.00	793,729.00	373.05	444.49		
Totals		520					1,415,434.00	665.25	792.64	1,416,892	1,285,383
Little Gypsy	1	244	LA	100%	Gas/Oil	0.00	0.00	0.00	0.00		
Little Gypsy	2	436	LA	100%	Gas/Oil	868,627.00	868,627.00	408.25	486.43		
Little Gypsy	3	573	LA	100%	Gas/Oil	795,218.00	795,218.00	373.75	445.32		
Totals		1253					1,663,845.00	782.01	931.75	1,665,559	1,510,969
Michoud	1	113	LA	100%	Gas/Oil	5,914.00	5,914.00	2.78	3.31		
Michoud	2	244	LA	100%	Gas/Oil	5,914.00	5,914.00	2.78	3.31		
Michoud	3	561	LA	100%	Gas/Oil	4,142.00	4,142.00	1.95	2.32		
Totals		918					15,970.00	7.51	8.94	15,986	14,503

Generating facility and EPA Acid Rain Unit ID	EPA Acid Rain Unit ID (Enter ID if different)	Max capacity (MW)	State	Entergy equity share of unit	Primary fuel(s)	Total unit CO2 (1)	Entergy equity share of unit CO2 emissions	Entergy share CH4 emissions from generation (2)	Entergy share N2O emissions from generation (3)	Total Facility CO2e in short tons	Total CO2e in metric tons
Ninemile Point	3	135	LA	100%	Gas/Oil	19,610.00	19,610.00	9.22	10.98		
Ninemile Point	4	748	LA	100%	Gas/Oil	1,580,860.00	1,580,860.00	743.00	885.28		
Ninemile Point	5	763	LA	100%	Gas/Oil	1,471,767.00	1,471,767.00	691.73	824.19		
Ninemile Point	6A	280	LA	100%	CCGT	765,522.00	765,522.00	359.80	428.69		
Ninemile Point	6B	280	LA	100%	CCGT	765,522.00	765,522.00	359.80	428.69		
Totals		1646					4,603,281.00	2,163.54	2,577.84	4,608,022	4,180,328
Ouachita Power	CTGEN1		LA	100%	Natural gas	538,485.00	538,485.00	253.09	301.55		
Ouachita Power	CTGEN2	789	LA	100%	Natural gas	536,163.00	536,163.00	252.00	300.25		
Ouachita Power	CTGEN3		LA	100%	Natural gas	487,760.00	487,760.00	229.25	273.15		
Totals		0					1,562,408.00	734.33	874.95	1,564,017	1,418,853
Perryville	1-1		LA	100%	Gas/Oil	674,615.00	674,615.00	317.07	377.78		
Perryville	1-2	718	LA	100%	Gas/Oil	674,615.00	674,615.00	317.07	377.78		
Perryville	2-1		LA	100%	Gas/Oil	24,408.00	24,408.00	11.47	13.67		
Totals		0					1,373,638.00	645.61	769.24	1,375,053	1,247,427
R S Cogen ⁽⁴⁾	RS-5	425	LA	50%	Natural gas	922,468.40	461,234.20	216.78	258.29		
R S Cogen ⁽⁴⁾	RS-6		LA	50%	Natural gas	896,220.60	448,110.30	210.61	250.94		
Totals		425					909,344.50	427.39	509.23	910,281	825,793
R S Nelson	4	500	LA	100%	Gas/Oil	241,397.00	241,397.00	113.46	135.18		
R S Nelson ⁽⁶⁾	6	385	LA	80.9%	Coal	2,826,258.00	2,286,442.72	617.34	11,569.40		
Totals		885					2,527,839.72	730.80	11,704.58	2,540,275	2,304,499
Rex Brown	3	349	MS	100%	Gas/Oil	11,927.00	11,927.00	5.61	6.68		
Rex Brown	4		MS	100%	Gas/Oil	241,933.00	241,933.00	113.71	135.48		
Totals		0					253,860.00	119.31	142.16	254,121	230,535
Sabine	1	230	TX	100%	Gas/Oil	435,160.00	435,160.00	204.53	243.69		
Sabine	2	230	TX	100%	Gas/Oil	40,071.00	40,071.00	18.83	22.44		
Sabine	3	420	TX	100%	Gas/Oil	779,689.00	779,689.00	366.45	436.63		
Sabine	4	530	TX	100%	Gas/Oil	1,244,678.00	1,244,678.00	585.00	697.02		
Sabine	5	480	TX	100%	Gas/Oil	922,914.00	922,914.00	433.77	516.83		
Totals		1890					3,422,512.00	1,608.58	1,916.61	3,426,037	3,108,049
Sterlington	7AB	102	LA	100%	Gas/Oil	1,111.50	1,111.50	0.52	0.62		
Sterlington	7C	101	LA	100%	Gas/Oil	1,111.50	1,111.50	0.52	0.62		
Totals		203					2,223.00	1.04	1.24	2,225	2,019
Union Power Station ⁽⁷⁾	CT 1	495	AR	100%	Gas	380,320.00	380,320.00	178.75	212.98		
Union Power Station	CT 2		AR	100%	Gas	380,320.00	380,320.00	178.75	212.98		
Union Power Station	CT 3	495	AR	100%	Gas	624,512.50	624,512.50	293.52	349.73		
Union Power Station	CT 4		AR	100%	Gas	624,512.50	624,512.50	293.52	349.73		
Union Power Station	CT 5	495	AR	100%	Gas	478,277.50	478,277.50	224.79	267.84		
Union Power Station	CT 6		AR	100%	Gas	478,277.50	478,277.50	224.79	267.84		
Union Power Station	CT 7	495	AR	100%	Gas	522,160.50	522,160.50	245.42	292.41		
Union Power Station	CT 8		AR	100%	Gas	522,160.50	522,160.50	245.42	292.41		
Totals		1980					4,010,541.00	1,884.95	2,245.90	4,014,672	3,642,049
Waterford	1	411	LA	100%	Gas/Oil	210,832.00	210,832.00	99.09	118.07		
Waterford	2	411	LA	100%	Gas/Oil	341,923.00	341,923.00	160.70	191.48		

Generating facility and EPA Acid Rain Unit ID	EPA Acid Rain Unit ID (Entergy ID if different)	Max capacity (MW)	State	Entergy equity share of unit	Primary fuel(s)	Total unit CO2 (1)	Entergy equity share of unit CO2 emissions	Entergy share CH4 emissions from generation (2)	Entergy share N2O emissions from generation (3)	Total Facility CO2e in short tons	Total CO2e in metric tons
Waterford	4		LA	100%	Gas/Oil	3,666.00	3,666.00	1.72	2.05		
Totals		822					556,421.00	261.52	311.60	556,994	505,297
White Bluff	1	465	AR	57%	Coal	2,986,332.00	1,702,209.24	459.60	8,613.18		
White Bluff	2	481	AR	57%	Coal	3,738,847.00	2,131,142.79	575.41	10,783.58		
Totals		946					3,833,352.03	1,035.01	19,396.76	3,853,784	3,496,094
Willow Glen	2	224	LA	100%	Gas/Oil	12,932.00	12,932.00	6.08	7.24		
Willow Glen	4	568	LA	100%	Gas/Oil	60,849.00	60,849.00	28.60	34.08		
Totals		792					73,781.00	34.68	41.32	73,857	67,002
Totals						48,959,057.50	38,297,097.26	15,702.09	73,141.13	38,385,940	34,823,139

(1) CEM data reported to EPA Acid Rain program - can be verified at EPA's Clean Air Market's Database located at http://camddataandmaps.epa.gov/gdm/index.cfm?fuseaction=emissions.wizard&EQW_dataset=Selection=

(2) Emissions factor derived from CH4 (in CO2e) as percentage of emissions from CO2 for a specific fuel type. See "Emissions and Conversion Factors" for EPA emissions factors for specific fuels; emissions factor for natural gas used for all dual-fuel units as this represents the larger fuel input

(3) Emissions factor derived from N2O (in CO2e) as percentage of emissions from CO2 for a specific fuel type. See "Emissions and Conversion Factors" for EPA emissions factors for specific fuels; emissions factor for natural gas used for all dual-fuel units as this represents the larger fuel input

(4) Emission data obtained directly from the EPA's Database located at <http://ampd.epa.gov/ampd/>

(5) While Entergy owns 42% of Big Cajun 2 Unit 3, our actual consumption of the MWhs generated from this facility varies from 42% to 45%. CO2 emission number shown is based on actual consumption of MWhs received from Fossil Operations.

(6) During 2012, EWC (EAM Nelson Holdings, LLC) acquired 10.9% of this unit. Therefore, Entergy's overall ownership share of this unit increased to 80.9%

(7) Union Power Station was added in March 3, 2016. Entire 2016 emissions are included on this tab even though we purchased power for Jan-Feb.

Additional Notes

- Emissions from Louisiana Station Plant 1 (Units 1A, 2A, 3A, 4A, 5A) are not included in the inventory; these units exist for the sole use of Exxon under a long term lease agreement.
- The following units were removed from the Inventory in 2014 - Lynch 2&3, Couch 1&2, Lake Catherine 1-3, Louisiana Station 2 (units 10-12), Ninemile 1&2, Nelson 3, Richie 1&2, and Sterlington 10. These units are either permanently retired (decommissioned in some cases) or are in extended reserve shutdown and are not expected to return to service.
- The following units were ADDED to the inventory in 2014 - Ninemile 6A and 6B - these units came online during December of 2014.

Small combustion sources at all generation stations - Updated for 2015

Small stationary combustion sources were initially calculated for all known equipment co-located at generating stations using parameters (such as max energy input/hour) developed in internal emissions compliance documents and assumed equipment capacity factors. These emissions totals were calculated for 2015 and are assumed to be conservative (high) estimates of emissions.

Starting in 2013, Entergy reported the previous year's GHG (CO2e) emissions from small sources co-located at Fossil plants in compliance with the EPA Mandatory Reporting Rule (General Stationary Fuel Combustion - Subpart C). These updated values are substituted for the older, 2005 calculations in order to be consistent with mandatory GHG reporting. Nuclear estimates continue to rely on the 2005 calculations unless otherwise noted. The Thermal assets were divested in late 2013, so these assets and emission are removed from the inventory.

More detail on each of these facilities, the specific data collection methods, and the calculation methodology, can be found in the GHG Monitoring Plan required by the EPA Mandatory Reporting Rule.

Plant	CO2e Emissions reported under Mandatory Reporting Rule (short tons of all gases in 2015) [obtained from Fossil Operations unless otherwise noted]	CO2e Emissions reported under Mandatory Reporting Rule (metric tons of all gases in 2015) [obtained from Fossil Operations unless otherwise noted]	
Fossil fuel generating stations			
Atalla	0.0	0.00	
Baxter Wilson	10,214.6	9,266.70	
Buras	7,300.8	6,623.30	
Calcasieu	0.0	0.00	
Gerald Andrus	1,456.1	1,321.00	
Harrison County	0.0	0.00	
Hinds County	76.6	69.50	
Hot Spring	7.5	6.80	
Independence	4,184.9	3,805.60	(49.93% ownership share)
Lake Catherine	0.0	0.00	
Lewis Creek	0.0	0.00	
Little Gypsy	2,218.8	2,012.90	
Louisiana Station	676.1	613.40	
Mablevale	0.0	0.00	
Michoud	6,491.2	5,888.80	
RS Nelson	4,987.7	4,524.80	(91.4% ownership share)
Ninemile Point	3,837.3	3,481.20	
NISCO	2,585.1	2,345.20	
Ouachita	83.0	75.30	
Perryville	4,298.4	3,889.50	
Rex Brown	118.9	107.80	
Sabine	15,020.1	13,626.20	
Sterlington	0.0	0.00	
Waterford 1&2	355.5	322.50	
White Bluff	915.3	830.40	(57% ownership share)
Willow Glen	4,280.4	3,883.20	
Fossil fuel totals	69,118.4		

Nuclear generating stations ⁽²⁾	Plant total small sources CO2e (short tons using 2005 estimate calculations)	
Pilgrim	14,818	Closure expected May 31, 2019
James Fitzpatrick	3,490	Sale to Exelon to Close Q2 2017
River Bend	687	
Indian Point 2	18,558	Stated to close during 2020
Indian Point 3	80	Stated to close during 2021
Paisades ⁽¹⁾	7,757	Stated to close in October 2018
Waterford 3	7,042	
Grand Gulf	11,131	
Arkansas Nuclear 1&2	11,728	
Nuclear totals	75,291	
All small source totals	144,409	

Direct Emissions from fossil fuel usage for company mobile fleet ("Mobile Combustion")

Note: The information below was collected and results calculated based on 2016 data.

Beginning in 2013, the GWP for N2O and CH4 was modified based on the EPA final rule effective 1/1/14.

Fuel Description	Fuel Code	Units consumed (gal)	Assumptions/Comments
Diesel	D	2,873,243	Based on 2016 Energy data provided by Carolanne Nichols, it is assumed that totals for all bi-fuel categories are split at a 90/10 ratio between constituent fuel types and are calculated as such. Bi-fuels are separated below into its constituent fuel type category and emissions calculated. Green Plug-In (JEMS) units run on diesel on the highway and electricity on the job site. CNG is measured in Gallons of Gasoline Equivalency or GGE. One gallon of CNG or GGE has the same energy value as a gallon of gasoline. "Unknown" split evenly (50/50) between diesel and gasoline.
Gasoline	G	913,801	
BiFuel-Gasoline/Ethanol	S	710,628	
BiFuel-Gasoline/CNG	A	600	
BiFuel-Gasoline/LPG	B	212	
BiFuel-Diesel/Electricity	F	0	
Propane	P	100	
CNG	C	107	
LPG	L	752	
Green Plug-In JEMS	J	32,123	
BiFuel-Gasoline/Electricity	H	1358	
Unknown	-	19	
Jet fuel		613,272	Total 2016 Fuel Purchase - from John Shilstone

Total gallons consumed 5,146,215

Fuel	Total units consumed (GALLONS) - from inputs above	conversion to energy content (MMBtu/gallon)	Total MMBtu consumed	CO2 using EPA Climate Leaders Efs		CO2 using WRI/WBCSD Protocol Efs	
				Emissions Factor (lbs CO2/MMBtu)	Total CO2 Emissions (short tons)	Emissions Factor (kg CO2/Gallon)	Total CO2 Emissions (short tons)
Diesel	2,905,376	0.1387	402,976	159.68	32,174	10.15	32,506
Gasoline	1,555,465	0.1251	194,589	156.44	15,221	8.81	15,105
Ethanol (E85)	71,063	0.0843	5,991	149.59	448	5.56	436
CNG	167	0.1251	21	116.41	1	See note	1
LPG	773	0.092	71	138.76	5	5.79	5
Propane	100	0.092	9	138.32	1	5.79	1
Jet fuel	613,272	0.135	82,792	154.72	6,405	9.57	6,469
Totals	5,146,215		686,448		54,254		54,523

Note: Emissions from Ethanol are considered "biogenic" emissions and do not contribute to net CO2 additions to the atmosphere. They are included with fossil fuel CO2 because it is de minimus.

Regarding CNG, no SCF measurement is available; used the EPA CL number as a proxy.

Direct Emissions of N2O and CH4 from mobile fleet ("Mobile Combustion")

The calculation below uses conservative N2O and CH4 emissions factors to estimate these emissions from mobile sources. The emissions factors are from EPA Climate Leaders Guidance for construction vehicles.

NOTE - Emission factors for these gases were not available for all fuel types - a conservative approach was used by using the emission factor for diesel.

N2O from mobile sources					
N2O	gallons consumed	g N2O/gal fuel	total kg N2O	short tons	CO2e short tons
Gasoline	1,555,465	0.22	342.20	0.384	114.52
Diesel	2,905,376	0.26	755.40	0.848	252.80
Jet Fuel	613,272	0.26	159.45	0.179	53.36
Propane	100	0.26	0.03	0.000	0.01
CNG	167	0.26	0.04	0.000	0.01
LPG	773	0.26	0.20	0.000	0.07
Ethanol	71,063	0.26	18.48	0.021	6.18
total					426.95

CH4 from mobile sources					
CH4	gallons consumed	g CH4 /gal fuel	total kg CH4	short tons	CO2e short tons
Gasoline	1,555,465	0.50	777.73	0.873	21.83
Diesel	2,905,376	0.58	1,685.12	1.892	47.31
Jet Fuel	613,272	0.58	355.70	0.399	9.99
Propane	100	0.58	0.06	0.000	0.00
CNG	167	0.58	0.10	0.000	0.00
LPG	773	0.58	0.45	0.001	0.01
Ethanol	71,062.80	0.58	41.22	0.046	1.16
total					80.30

Total N2O and CH4 CO2e 507.26

Total Estimated Emissions from Mobile Sources (short tons CO2e) 55,030

Emissions from natural gas from T&D operations

The calculation below is based on as reported data from the GHG Summary Report for 2015

Gas Operation	CO2 equivalent emissions from facility subparts C-II, SS, and TT (metric tons) Subpart W, Fugitive	Total CO2 equivalent emissions (short tons)
Entergy Louisiana, L.L.C. Gas Business	12,323.10	13,583.88
Entergy New Orleans, Inc. Gas Business	40,368.40	44,498.49
SUB-TOTAL		58,082.37

Spindletop Storage						
Storage facilities	# storage facilities	Emissions factor (metric ton CH4/station-yr)	Total metric tons CH4	Total short tons CH4	Total short tons CO2e (E*25)	
fugitive emissions from storage facilities	1	675.4	675.40	744.50	18,612.50	See note 3
vented emissions from storage facilities	1	217.3	217.30	239.53	5,988.30	See note 4
SUB-TOTAL					24,600.80	

TOTALS FROM FUGITIVE NATURAL GAS **82,683 short tons CO2e**

GENERAL NOTES:

- Source for emissions factors by equipment type is the Gas Research Institute (GRI), which provides factors in metric only.
- Fugitive and oxidized CO2 are known sources of GHG emissions from a natural gas T&D system; however these were not calculated as they are

SPECIFIC NOTES:

- (1) Compressors are assumed to be for natural gas transmission, not storage.
- (2) general emissions factor used for vented gas; GRI provides emissions factors for specific equipment venting.
- (3) EF from API Table 6-1, (American Petroleum Institute, Compendium of Greenhouse Gas Emissions Methodologies for the Oil and Gas Industry.
- (4) EF from GRI

Direct emissions of escaped SF6 in electricity T&D system ("Fugitive emissions")

Note: The information below was as reported to the EPA under the Mandatory GHG Reporting Rule.

More detail on the specific data collection methods, and the calculation methodology, can be found in the GHG Monitoring Plan required by the EPA Mandatory Reporting Rule.

2015 fugitive SF6 emissions estimate			
SF6 Emissions (short tons) (1)	Global Warming Potential (GWP) (2)	Total CO2 Equivalent Emissions (short tons)	Total CO2 Equivalent Emissions metric tons)
5.05	22,800	115,140.0	104,453.2

(1) Converted 10,098.52 pounds to short tons

Direct Emissions of Fugitive HFCs in all utility cooling and A/C equipment

This sheet contains calculations for all sources of fugitive HFCs. HFCs from all sources are considered de minimus (i.e. insignificant in the Entergy corporate total). The activity data required to provide the highest level of accuracy is difficult and impractical to obtain for such a small source. Instead, emissions factors have been created based on national averages for a number of variables to provide a rough estimate of these emissions. The methodology behind these emissions factors is found below.

These CO2e totals are calculated using data, provided by Real Estate as of December 31, 2016, that does not change significantly between inventory years. These same data and emissions totals are used each year.

2010 Update - Facilities indicates that there is no significant change to these numbers; therefore, these numbers will continue to be carried forward each year.

2013 Update - carried historical data forward; however, updated the GWP consistent with an EPA final rule that became effective on 1/1/14.

2014 Update - removed the Thermal Operations facilities, as these were sold in late-2013.

2015 Update - No changes made

2016 Update - Values updated as of December 31, 2016

	square footage air-conditioned	EF fugitive HFCs (short tons CO2e/sq ft)	Facility fugitive HFC (short tons CO2e)
Entergy owned space	2,158,989	0.00078	1,683
Entergy capital lease space	1,708,276	0.00078	1,332
Generation plant space	1,700,000	0.00078	1,325
Total Fugitive HFCs	5,567,265		4,340

Generation plant space assumes 50,000 sq. ft. per plant; 34 plants assumed.

From Nuclear facility			
	lbs HFC charged to equipment	EF fugitive HFCs as CO2e (GWP=1300)	Facility fugitive HFC (short tons CO2e)
	0	1300	0

Entergy nuclear facilities do not use HFCs for cooling

From all Entergy-owned vehicles			
	Total CO2 from mobile sources (short tons)	EF HFC as % of CO2 emissions **	Facility fugitive HFC (short tons CO2e)
Vehicular A/C	55,030	3.50%	1,926
Total CO2 from all mobile source fuels are included			

Total fugitive HFC emissions 6,266 short tons CO2e

* Calculation for estimating fugitive HFC emissions from building space using A/C

The calculation used in calculating the emissions factor for metric tons of CO2e fugitive HFC.	Average cooling capacity of chiller (ft2/ton of cooling capacity)	HFCs in chiller (kg HFC/tons of cooling)	Annual HFC loss factor (percent)	Total Annual HFC losses (MT HFC/1000 ft2)	Total Annual HFC losses (MT CO2e)/1000 ft2	Total Annual HFC losses (MT CO2e)/ ft2	Total Annual HFC losses (short tons CO2e)/ ft2
	280	1.2	15%	0.000642857	0.71	0.00071	0.00078
Source: ASHRAE (http://www.themcdermotgroup.com/News/worthy/HVAC%20as-uses/Rule%20of%20Thumb%20Sizing.htm) Note that this is a conservative estimate - a reasonably designed building should be more like 400		Source: http://www.usgbc.org/LEED/LeadersGuidance_January2004. Note: This estimate is the source of the greatest uncertainty in the calculation, since the range is 2-15%, and the average is probably more like 5%	Source: EPA Climate Leaders Guidance, January 2004. Note: This estimate is the source of the greatest uncertainty in the calculation, since the range is 2-15%, and the average is probably more like 5%	This is the emissions factor that is applied to the square footage of air-conditioned space. This EF includes the global warming potential for HFC 134a (1,100)	Emissions factor for MT CO2e per ft2	Emissions factor for short tons CO2e per ft2, conversion factor 1.1023	

Calculation to estimate HFCs from mobile A/C as percentage of CO2 emissions from mobile sources using national averages for equipment leakage and miles/gallon

Vehicle type	HFC Emissions Estimate			Miles per gallon	CO2 Emissions Estimate			Emissions factor: HFC emissions (CO2e) to CO2 (as %)
	HFC capacity (kg HFC)	annual leakage rate (percentage)	CO2 emissions (kg CO2a/yr-veh), GWP=1100		Miles per year	Emission factor (kg CO2/gal)	CO2 Emissions (kg CO2/yr-veh)	
Car	0.8	20%	176	20	15,000	8.87	6,653	2.6%
light truck	1.2	20%	264	15	15,000	8.87	8,870	3.0%

Power purchased to serve utility customers
Controllable power purchases - 2016

Code	Plant description	State	Total Energy purchased from plant (MWh)	Unit/Plant-Specific Emission Factor (lbs CO2/MWh), Based on Equivalent Total Output (from eGRID 2014 data, unless otherwise noted)	CO2 emissions from purchased power (short tons) (using eGRID Unit-Specific Factors (when available))
		LA	64,656.50	8.50	274.8
		LA	2,481,082.70	1,037.40	1,286,937.6
		AR	0.00	891.90	-
		TX	1,374,838.30	891.60	612,902.9
		TX	123,113.90	1,490.40	91,744.5
		TX	26,352.00	-	-
		LA	1,671,799.00	817.40	683,264.3
		LA	3,057,114.10	927.00	1,416,972.4
		LA	174,164.80	-	-
		AR	37,080.00	2,262.85	41,953.3
Totals			9,010,201.30		4,134,049.7
				0.090285 lbs/MWh	10,168.6
				0.012956 lbs/MWh	17,393.7

CH4 emissions from controlled purchases (SERC MS Valley Total Output Rate, eGRID 14th Edition factor*)

N2O emissions from controlled purchases (SERC MS Valley Total Output Rate, eGRID 14th Edition factor*)

* - some units may be in different control areas or eGRID subregions; however, impact to the overall GHG inventory is expected to be negligible.

Total CO2e from Controllable Purchases

4,161,612.0

Product Combustion - Emissions from combustion of Natural Gas distributed to retail customers

Values pulled from 2015 Annual GHG Inventory Report submitted by Gas Operations and provided to ESP for each location.

Gas Operation	CO2 equivalent emissions from supplier subparts LL-QQ (metric tons) Subpart NN Product Combustion	Total CO2 equivalent emissions (short tons)
Entergy Louisiana, L.L.C. Gas Business	382,428.80	421,555.09
Entergy New Orleans, Inc. Gas Business	440,494.10	485,561.05
SUB-TOTAL	822,922.90	907,116.14

Employee Commuting Emission Calculations

Commuter Travel Calculations

Commuting Method (more than 75% of time)	
Number of Employees =	14000
Walkers =	144
Bikers =	44
Carpoolers =	1154
Vanpoolers =	33
Public Transporters =	67
Individual Drivers =	12558
Total	14000

Survey # (n)	%
13	0.09%
4	0.03%
104	0.74%
3	0.02%
6	0.04%
1132	8.09%
1262	90.03%

Commuting Distance (miles one-way)		Low	Avg	High	# Employees	SURVEY RESPONSES (#)	SURVEY RESPONSES (%)
0.0	0.5	0.0	0.5	0.9	202	25	1%
1.0	3.0	0.0	3.0	5.0	1553	192	11%
6.0	8.0	0.0	10.0	10.0	2572	318	18%
11.0	15.5	0.0	20.0	20.0	3227	399	23%
21.0	25.5	0.0	30.0	30.0	2548	315	18%
31.0	35.5	0.0	40.0	40.0	3888	482	28%
Total	70.0	69.0	105.9	105.9	14000	1731	100%

Distribution of Commuting Method by Miles						
	Individual Drivers	Carpoolers	Vanpoolers	Public	Bikers	Walkers
	181	-	-	-	1	4
	1393	-	-	-	7	168
	2307	-	-	-	40	36
	2895	-	-	-	15	-
	2285	-	-	-	12	-
	3497	1154	-	33	19	-
Total	12558	1154	-	33	87	144

Method of Transportation	Miles Traveled by Method (using midpoint of mileage range)			Estimated Emissions			
	one way	round trip	yearly miles	yearly gallons	lbs	short tons	met tons
Walkers =	151	314	66811	-	-	-	-
Bikers =	122	244	51890	-	-	-	-
Carpoolers =	40957	81914	1744772	290796	5815924	2908	2638
Vanpoolers =	1181	2363	503301	3355	67107	34	30
Public Transporters =	1325	2650	564487	2258	45157	23	20
Individual Drivers =	249991	499981	10648943	425942	85198332	42598	38645
Total			125130281	4556251	91125020	45563	41334

Employee Commuter Travel 2014

Commuting method (more than 75% of the time)	Miles travelled per year	Total emissions kg CO2e	Total emissions short tons CO2e	Total Emissions metric tons CO2e	% total commuting emissions
Individual car	106,496,040	39,890,328	43,971	39,891	77.8%
Vanpool	503,301	268,927	296	269	13.1%
Public Transportation	564,487	77,304	85	77	3.8%
Carpool	17,447,772	6,535,429	7,204	6,535	5.3%
Bikers	51,890	-	-	-	0.0%
Walkers	66,811	-	-	-	0.0%
Total	125,130,281	46,771,889	51,557	46,772	100.0%

Commuting method (more than 75% of the time)	Miles travelled per year	Greenhouse gas		Total emissions kg CO2e	Total emissions short tons CO2e	Total Emissions metric tons CO2e	% total commuting emissions
		CO2	CH4				
Individual car	106,496,040	CO2	39,784,559	42,730	39,785	82.9%	
		CH4	69,329	76	69	0.1%	
		N2O	1,056,441	1,185	1,056	2.3%	
Vanpool	503,301	CO2	261,213	288	261	0.6%	
		CH4	386	0.42	0.38	0.0%	
		N2O	7,333	8	7	0.0%	
Public Transportation	564,487	CO2	77,077	85	77	0.2%	
		CH4	25	0.03	0.02	0.0%	
		N2O	201	0.22	0.20	0.0%	
Carpool	17,447,772	CO2	6,350,989	7,001	6,351	13.6%	
		CH4	11,358	12.52	11.36	0.0%	
		N2O	173,082	191	173	0.4%	
Bikers	51,890	CO2	-	-	-	0.0%	
		CH4	-	-	-	0.0%	
		N2O	-	-	-	0.0%	
Walkers	66,811	CO2	-	-	-	0.0%	
		CH4	-	-	-	0.0%	
		N2O	-	-	-	0.0%	
Total	125,130,281		46,771,968	51,557	46,772	100.0%	

Calculation for Public Transportation	# of miles	Total emissions kg CO2e
50% Bus	282,223	30,248
5% Intercity Rail	28,223	5,231
5% Commuter Rail	28,223	4,864
40% Transit Rail	225,767	38,962
Total	564,487	77,304

EPA Methodology

E=VMT*(EF _{CO2} + EF _{CH4} *0.021 + EF _{N2O} *0.310)	Method of travel	E _{CO2} (kg CO2/vehicle-mile)	E _{CH4} (g CH4/vehicle-mile)	E _{N2O} (g N2O/vehicle-mile)
E= total CO2e	Individual car	0.364	0.031	0.032
VMT= vehicle miles travelled per year	Vanpool	0.519	0.036	0.047
EF _{CO2} = CO2 emissions factor	Carpool	0.364	0.031	0.032
EF _{CH4} = CH4 emissions factor	Bus	0.107	0.0006	0.0005
EF _{N2O} = N2O emissions factor	Short haul airline (domestic)	0.185	0.0104	0.0065
0.021= conversion factor	Medium haul airline (continental)	0.229	0.0104	0.0085
0.310= conversion factor	Long haul airline (intercontinental)	0.277	0.0104	0.0085
*used for individual car, carpool and vanpool	Inter-city rail	0.185	0.002	0.001
	Commuter rail	0.172	0.002	0.001
	Transit rail	0.183	0.004	0.002

E=PMT*(EF _{CO2} + EF _{CH4} *0.021 + EF _{N2O} *0.310)	Estimating Fuel Use
E= total CO2e	Fuel use= DT x FE
PMT= passenger miles travelled per year	DT= Distance travelled activity factor
EF _{CO2} = CO2 emissions factor	FE= Fuel economy factor (ie. kgCO2/mile, gCH4/mile, gN2O/mile) *see emissions factors chart above
EF _{CH4} = CH4 emissions factor	*used to determine the breakdown of CO2, CH4, N2O within total CO2e
EF _{N2O} = N2O emissions factor	
0.021= conversion factor	
0.310= conversion factor	
*used for bus, air and rail travel	

EPA Methodology sourced from EPA website
http://www.epa.gov/climateleadership/documents/resources/commute_travel_product.pdf
http://www.epa.gov/climateleadership/documents/resources/mobilesource_guidance.pdf

ASSUMPTIONS
 9/50 schedule - all employees commute nine days every two weeks
 2 weeks of vacation
 12 holidays
 For a total of 213 work days per employee per year
 Walkers and bike riders all put into 0 to 5 miles
 Carpoolers and Vanpoolers all put in the over 30 miles category
 Used midpoint of mileage ranges surveyed
 Assuming 20 pounds of CO2 emitted per gallon of fuel burned
 Methodology sourced from EPA Climate Leaders: Greenhouse Gas Inventory Protocol Core Module Guidance
 Specific sections:
 *Optional Emissions from Community Business Travel and Product Transport
 *Direct Emissions from Mobile Combustion Sources

Data sourced from Copy of Employee Commuting Emission Estimation 2014
 Public transportation method compiled from percentages estimated from data recording passenger trips in urbanized areas: 50% bus, 5% intercity rail, 5% commuter rail and 40% transit rail
 Source: US Census Bureau, Statistical Abstract of the United States: 2012

Mileage based off of a survey of 1400 employees.
 Data sourced from Copy of Employee Commuting Emission Estimation 2014

EPA Climate Leaders Emissions Factors for Fossil Fuel and Biomass Combustion

The emissions factors below have been updated from the EPA Climate Leaders GHG Inventory Protocol, October 2004 and with any other EPA Final Rules.

Fuel type	Heating Value (HHV); custom heating values should be used if available (based on HHV)	Carbon content coefficient (kg CH ₂ O/kg fuel on HHV)	Fraction oxidized	CO ₂ Emissions – kg			CO ₂ Emissions – lbs			CH ₄ Emissions			N ₂ O Emissions					
				EPA emission factor (kg CO ₂ /MMBtu HHV)	EPA emission factor (kg CO ₂ /short ton HHV)	EPA emission factor (kg CO ₂ /MMBtu HHV)	EPA emission factor (kg CO ₂ /short ton HHV)	EPA emission factor (kg CO ₂ /MMBtu HHV)	EPA emission factor (kg CO ₂ /short ton HHV)	EPA emission factor (kg CO ₂ /MMBtu HHV)	EPA emission factor (kg CO ₂ /short ton HHV)	EPA emission factor (kg CO ₂ /MMBtu HHV)	EPA emission factor (kg CO ₂ /short ton HHV)					
Liquid fossil																		
Gasoline / petrol	5.253	19.34	0.99	70.95	369.18	156.44	19.38	814.04										
Kerosene	5.670	19.72	0.99	71.58	405.88	157.84	21.31	894.97										
Jet Fuel	5.670	19.33	0.99	70.17	397.74	154.72	20.98	877.02										
Aviation gasoline	5.048	18.87	0.99	68.50	345.66	151.04	18.15	762.18										
Distillate fuel (# 1,2,4, diesel)	5.825	19.95	0.99	72.42	423.36	159.68	22.23	933.51	1.8 (nd)	0.045	0.099	0.0006	.54 (nd)	0.16092	0.355	0.0022		
Residual fuel oil (#5.6)	6.287	21.49	0.99	78.01	490.44	172.01	25.75	1,081.42	2.7 (elect gen)	0.068	0.149	0.0009	.54 (elect gen)	0.16092	0.355	0.0022		
LPG	3.861	17.25	0.99	62.62	297.45	138.07	12.47	523.58	1.8 (nd)	0.045	0.099	0.0006	.54 (nd)	0.16092	0.355	0.0022		
Propane	3.824	17.2	0.99	62.44	299.90	137.67	12.59	528.98	1.8 (nd)	0.045	0.099	0.0006	.54 (nd)	0.16092	0.355	0.0022		
Ethane	2.916	16.25	0.99	58.99	172.91	130.07	9.08	381.27	1.8 (nd)	0.045	0.099	0.0006	.54 (nd)	0.16092	0.355	0.0022		
n-Butane	4.326	17.72	0.99	64.32	279.80	141.83	14.89	616.96	2.7 (elect gen)	0.068	0.149	0.0009	2.7 (elect gen)	0.16092	0.355	0.0021		
Isobutane	4.162	17.75	0.99	64.43	283.52	142.07	14.15	594.29	2.7 (elect gen)	0.068	0.149	0.0009	2.7 (elect gen)	0.16092	0.355	0.0021		
EBS	see EPA Guidance				0.00	0.00		0.00										
CNG	1.027	14.47	0.995	52.79	.054 /cf			.12 /cf										
LNG	6.024	27.85	0.99	101.10	609.00	0.00		13.01 /gal										
Petroleum coke																		
Gasaceous fossil																		
Natural gas (dry)	1.027	14.47	0.995	52.79	0.0542			118.41	4.75 (nd)	0.119	0.282	0.00225	0.095 (nd)	0.028	0.062	0.0005		
Solid fossil																		
Anthracite	25.09	28.26	0.99	102.58	2,573.83			226.20	5.675/30	0.025	0.055	0.00047	0.095 (elect gen)	0.030	0.066	0.0006		
Bituminous coal	24.93	25.40	0.99	92.53	2,306.74			204.03	5.086/36	0.025	0.055	0.00027	1.4 (nd)	0.42	0.92	0.0044		
Sub-bituminous coal	17.25	26.48	0.99	96.12	1,656.11			211.95	3.656/13	0.025	0.055	0.00027	1.4 (elect gen)	0.48	1.05	0.0051		
Lignite	14.21	26.3	0.99	95.47	1,356.61			210.51	2,991.33	0.025	0.055	0.00027	1.4 (elect gen)	0.48	1.05	0.0051		
Coke	24.80	27.85	0.99	101.10	2,507.17			222.92	5,528.31	0.025	0.055	0.00027	1.4 (elect gen)	0.48	1.05	0.0051		
Unspecified (elec gen)	20.63	25.98	0.99	94.31	1,945.56			207.95	4,289.86	0.025	0.055	0.00027	1.4 (elect gen)	0.48	1.05	0.0051		
Unspecified (indus)	23.03	25.75	0.99	93.47	2,151.84			206.11	4,744.81	0.025	0.055	0.00027	1.4 (elect gen)	0.48	1.05	0.0051		
Biomass																		
Wood and wood waste	15.58 MMBtu/short	25.6	0.995	92.93	1,429.23/short			204.91	3,135.2/short	30.1 (nd/elect gen)	0.753	1.659	0.0081	4.01 (nd/elect gen)	1.19	2.63	0.0129	
Landfill gas (50/50)	502.5 Btu/scf ft	14.2	0.995	51.81	0.660 /cf			114.24	0.57/33 /cf									
Ethanol	3.539 MMBtu/bbl	17.99	0.99	65.30	5.5 /gal			143.99	12.13 /gal									
Ethanol (100)								860.35 /gal	509.46 /bbl									

Note: CH₄/N₂O emissions factors for all mobile sources are dependent on many variables; for mobile sources consult the EPA Guidance Protocol

Note: CH₄/N₂O emissions factors for all mobile sources are dependent on many variables; for mobile sources consult the EPA Guidance Protocol

Note: CH₄/N₂O emissions factors above for all coal types

Note: It is assumed the combustion of biomass and biofuels does not contribute to net CO₂ emissions. As a result, Factors are required to list biomass CO₂-equivalent emissions corporate inventory.

Conversion Factors used in this inventory

Mass			
1 pound (lb)	453.6 grams (g)	0.4536 kilograms (kg)	0.0004536 metric tons (tonne)
1 kilogram (kg)	2.205 pounds (lb)		.0011023 short tons
1 short ton (ton)	2'000 pounds (lb)	907.2 kilograms (kg)	.9072 metric tons
1 metric ton	2'205 pounds (lb)	1'000 kilograms (kg)	1.1023 short tons (tons)
Volume			
1 cubic foot (ft. ³)	7.4805 US gallons (gal)	0.1781 barrel (bbl)	
1 cubic foot (ft. ³)	28.32 liters (L)	0.02832 cubic meters (m ³)	
1 US gallon (gal)	0.0238 barrel (bbl)	3.785 liters (L)	0.003785 cubic meters (m ³)
1 barrel (bbl)	42 US gallons (gal)	158.99 liters (L)	0.1589 cubic meters (m ³)
1 litre (L)	0.001 cubic meters (m ³)	0.2642 US gallons (gal)	
1 cubic meter (m ³)	6.2897 barrels (bbl)	264.2 US gallons (gal)	1'000 liters (L)
Energy			
1 kilowatt hour (kWh)	3412 Btu (btu)	3'600 kilojoules (KJ)	
1 megajoule (MJ)	0.001 gigajoules (GJ)		
1 gigajoule (GJ)	0.9478 million Btu (million btu)	277.8 kilowatt hours (kWh)	
1 Btu (btu)	1'055 joules (J)		
1 million Btu (million btu)	1.055 gigajoules (GJ)	293 kilowatt hours (kWh)	
1 therm (therm)	100'000 btu	0.1055 gigajoules (GJ)	29.3 kilowatt hours (kWh)
Other			
kilo	1'000		
mega	1'000'000		
giga	1'000'000'000		
tera	1'000'000'000'000		
1 psi	14.5037 bar		
1 kgf / cm ³ (tech atm)	1.0197 bar		
1 atmosphere (atm)	0.9869 bar	101.325 kilo pascals	14.696 pounds per square inch (psia)
1 mile (statue)	1.609 kilometers		
1 metric ton CH ₄	21 metric tons CO ₂ equivalent		
1metric ton N ₂ O	310 metric tons CO ₂ equivalent		
1 metric ton carbon	3.664 metric tons CO ₂		

Global Warming Potentials and Atmospheric Lifetimes (years)		
Greenhouse Gas	Atmospheric Lifetime	Global Warming Potential
Carbon dioxide (CO ₂)	50-200	1
Methane (CH ₄) ^{b,c}	12 +/- 3	25
Nitrous oxide (N ₂ O) ^c	120	298
HFC-23 ^c	264	14,800
HFC-125 ^c	32.6	3,500
HFC-134a ^c	14.6	1,100
HFC-143a ^c	48.3	4,470
HFC-152a ^c	1.5	124
HFC-227ea ^c	36.5	3,220
HFC-236fa ^c	209	9,810
HFC-4310mee ^c	17.1	1,640
CF ₄	50,000	6,500
C ₂ F ₆	10,000	9,200
C ₄ F ₁₀	2,600	7,00
C ₆ F ₁₄	3,200	7,400
SF ₆ ^c	3,200	22,800

Source: Unless otherwise noted by note 'c' below, IPCC 1996; Second Assessment Report (SAR). Although the GWPs have been updated by the IPCC in the Third Assessment Report (TAR), estimates of emissions presented in the US Inventory will continue to use the GWPs from the Second Assessment Report.

a 100 year time horizon







b The methane GWP includes the direct effects and those indirect effects due to the production of tropospheric ozone and stratospheric water vapor.

c Effective January 1, 2014, the Environmental Protection Agency, through issuance of a final rule, raised the GWP for methane and several classes of hydrofluorocarbons, while lowering the GWP for both nitrous oxide and sulfur hexafluoride.

The indirect effect due to the production of CO₂ is not included.

Color key to calculations in the Entergy GHG Inventory

The colored heading cells in each worksheet of this GHG inventory enable inventory managers and users update and understand the role of each step of the calculation process.

	Specific fuel or gas calculated	This heading identifies the fuel and emissions being calculated below it.
	Annual activity data input	This is an input cell for company activity or usage data related to this emissions source for a given facility, source or even corporate-wide. Examples of input data are gallons of gasoline, lbs of CO2 (provided as CEM data), or square footage of building space occupied by the company. This activity data is currently identified in the units provided during the completion of PNM's GHG inventory for years 2001-2003. For some de minimus emissions sources (such as fugitive HFCs from building space
	Calculation constant	This cell contain as constant (coefficient) such as a conversion factor or unit measurement and does not to be changed annually unless there is a change to an emissions factor, input units or facility status.
	Calculation conversion subtotal	This figure is calculated automatically and is a subtotal or unit conversion resulting from a spreadsheet calculation such as MMBtu converted from mcf or gallons. This cell contains an emissions or conversion factor in its formula.
	Emissions source total	This figure is calculated automatically and is a total of CO2e (CO2-equivalent) for a given emissions source (e.g. a facility or equipment type) and the sum of individual sources is carried into the annual corporate emissions table. This cell contains an emissions or conversion factor in its formula.
	Emissions source total	Bolded cells contain a figure for total emissions in CO2e for that source and are carried to the corporate emissions totals sheet for emissions source comparison.